

hydraulic breaker

for excavators from 0,5 to 15 tons
Item number: SHB070Z – SHB500Z

SHB070Z

- Carrier weight class: 0,50 – 1,20 ton.
- Service weight: 70 kg
- Tool diameter: 40 mm
- Tool working length: 380 mm
- Total height: 900 mm
- Oil flow: 13-20l/min
- Impact rate: 900-1100 1/min
- Operating Pressure: 130 bar
- Single impact energie: 280 joule
- Backpressure max.: 25 bar

SHB100Z


- Carrier weight class: 1,20 – 3,50 ton.
- Service weight: 100 kg
- Tool diameter: 45 mm
- Tool working length: 480 mm
- Total height: 1000 mm
- Oil flow: 15-30l/min
- Impact rate: 900-1100 1/min
- Operating Pressure: 130 bar
- Single impact energie: 400 joule
- Backpressure max.: 25 bar

SHB150Z

- Carrier weight class: 1,5 - 5,5 t
- Service weight: 145 kg
- Tool diameter: 48 mm
- Tool working length: 500 mm
- Total height: 1000 mm
- Oil flow: 18-40 l/min
- Impact rate: 900-1100 1/min
- Operating Pressure: 140 bar
- Single impact energie: 580 joule
- Backpressure max.: 25 bar

SHB200Z

- Carrier weight class: 2,50 – 7,50 ton.
- Service weight: 190 kg
- Tool diameter: 55 mm





-
- Tool working length: 590 mm
 - Total height: 1250 mm
 - Oil flow: 25-55l/min
 - Impact rate: 900-1100 1/min
 - Operating Pressure: 140 bar
 - Single impact energie: 750 joule
 - Backpressure max.: 25 bar

SHB250Z

- Carrier weight class: 3,00 – 9,00 ton.
- Service weight: 250 kg
- Tool diameter: 65 mm
- Tool working length: 600 mm
- Total height: 1380 mm
- Oil flow: 30-70l/min
- Impact rate: 900-1100 1/min
- Operating Pressure: 140 bar
- Single impact energie: 950 joule
- Backpressure max.: 25 bar

SHB300Z

- Carrier weight class: 4,50 – 11,00 ton.
- Service weight: 320 kg
- Tool diameter: 75 mm
- Tool working length: 710 mm
- Total height: 1550 mm
- Oil flow: 50-85l/min
- Impact rate: 800-1000 1/min
- Operating Pressure: 140 bar
- Single impact energie: 1200 joule
- Backpressure max.: 25 bar

SHB400Z

- carrier weight class: 6,50 – 13,00 ton.
- Service weight: 430 kg
- Tool diameter: 80 mm
- Tool working length: 750 mm
- Total height: 1680 mm
- Oil flow: 60-95l/min
- Impact rate: 700-900 1/min
- Operating Pressure: 150 bar
- Single impact energie: 1700 joule
- Backpressure max.: 25 bar



SHB500Z

- carrier weight class: 8,50 – 15,00 ton.
- Service weight: 540 kg
- Tool diameter: 90 mm
- Tool working length: 750 mm
- Total height: 1700 mm
- Oil flow: 70-105l/min
- Impact rate: 600-800 1/min
- Operating Pressure: 150 bar
- Single impact energie: 2300 joule
- Backpressure max.: 25 bar

Hydraulic breaker

from € 2.490 exclusive VAT

(without excavator intake)